

AN ISO 9001 : 2015 CERTIFIED COMPANY



CORO - COPPER

CORO Used for Interior Small Size Wall & Floor Tiles

Used for Ceramic Wall, (12x18) & Vitrified Tiles & Porcelain floor Tiles Interior use

A blended polymer modified cement based powder tile adhesive. CORO Non-Skid Adhesive forms a waterproof barrier between two surfaces and has excellent strength & bonding properties.

Features

- Suitable for fixing ceramic tiles for floor & walls (8 Feet Height)
- Polymer modified adhesive
- Good strength
- Easy mixing & application
- Interior Situations

Packaging Units	Colour	Coverage
20 KG	GREY	5 to 5.5m ² /20kg bag at 3mm bed thickness



CORO - SILVER

CORO Tile-on-Tile & New Construction Tiles Adhesive

Fixing all types of tiles on floors & walls, ceramic & highly porous tiles in new construction

Polymer modified cement based powder needs to be mixed with water for installation of tiles on wall & floor. It is water resistant & does not allow cracking of tiles.

Features

- Ready to use, needs no curing
- Water resistant
- Saves time & increases productivity
- Excellent adhesion & low shrinkage
- Accommodates thermal & physical movements
- Suitable for indoor application

Packaging Units	Colour	Coverage
20 KG	GREY	5 to 5.5m ² /20kg bag at 3mm bed thickness



CORO - GOLD

CORO High Performance Non Shrink Tile Adhesive

Ideal for tile-on-tile application. Fixing all kinds of tiles on floor & vitrified, large format ceramic tiles on walls.

A blended polymer modified cement based powder tile adhesive. CORO Non-Skid Adhesive forms a waterproof barrier between two surfaces and has excellent strength & bonding properties.

Features

- Ready to use, needs only mixing with water
- Excellent adhesion & low shrinkage
- Accommodate physical & thermal movements
- Suitable for indoor and outdoor tile on tile applications
- Suitable for indoor 8 to 10 ft. (2x4, 4x4 Height)

Packaging Units	Colour	Coverage
20 KG	GREY	5 to 5.5m ² /20kg bag at 3mm bed thickness



CORO - GOLD PLUS WHITE

CORO Glass Mosaic, Marble and Stone Adhesive

For fixing all types of light colored stones on internal wall Mosaic Marble & floor, external floor, swimming pool, restaurants & tile-on-tile applications.

It is a blended polymer modified cement based powder tile adhesive with improved strength. It provides durable adhesion to stone & fixed in water immersed & high temperature conditions.

Features

- Ready to use & needs only mixing with water
- Excellent adhesion & low shrinkage
- Durable adhesion to tiles & stone fixed in water immersed & high temperature conditions
- Sufficiently flexible to accommodate physical & thermal movements
- Saves time as floors are ready to be used after 24 hours

Packaging Units	Colour	Coverage
20 KG	White	5 to 5.5m ² /20kg bag at 3mm bed thickness



CORO - PLATINUM GRAY

CORO Heavy Duty Stone Tiles Adhesive

For fixing natural stone, large vitrified & ceramic tiles on internal & external vertical cladding.

A blended polymer modified cement based tile adhesive specially designed for heavy duty tile applications.

Features

- Ready to use & needs only mixing with water
- Excellent adhesion & low shrinkage
- Suitable for internal heavy stone & tile cladding
- Accommodate physical & thermal movements

Packaging Units	Colour	Coverage
20 KG	GREY	5 to 5.5m ² /20kg bag at 3mm bed thickness



CORO - PLATINUM WHITE

CORO Heavy Duty Stone and Big Size Tiles Adhesive

For fixing all types of light colored stones on internal wall Mosaic Marble & floor, external floor, swimming pool, restaurants & tile-on-tile applications.

It is a blended polymer modified cement based powder tile adhesive with improved strength. It provides durable adhesion to stone & fixed in water immersed & high temperature conditions.

Features

- Ready to use & needs only mixing with water
- Excellent adhesion & low shrinkage
- Durable adhesion to tiles & stone fixed in water immersed & high temperature conditions
- Sufficiently flexible to accommodate physical & thermal movements
- Saves time as floors are ready to be used after 24 hours

Packaging Units	Colour	Coverage
20 KG	White	5 to 5.5m ² /20kg bag at 3mm bed thickness



CORO - TILES GROUT

CORO Polymer Based Cementitious Tiles Grout

For filling tile joints in bathrooms, kitchens, internal & external floor & wall tiles. Joins upto 5 mm width tiles.

A water resistant cementitious tile joint filler for all kinds of tiles. It effectively fills the gaps and levels itself to give hard wearing, non-dusting, tile joints. CORO Tiles Grout does not allow moisture & water to seep into the back of the tile causing dislocation. It firmly holds the tiles together to give them longevity.

Features

- High compressive, tensile & flexural strength
- Water resistant property
- Easy to use and clean



Packaging Units		Colour	Coverage
500g	1 Kg	12 Shades	Depend on Size and Width of Joint

CORO - TILES CLEANER

Cleaning of all Types of floors. It is a High Quality Tile Maintenance Cleaner

A high quality rapid action cleaner and decreasing solution for use on mosaic, ceramic, vitrified tiles, bath tubs, wash basin and concrete etc.

Whitish spot/ layer as normally observed in the bathroom under plastic/ metal buckets can be removed with ease.

Features

- Removes stains
- Prolonged tile life



Packaging Units		Colour	Coverage
1 Ltr	5 Ltr	Colourless	4 to 6 m ² / ltr. dependent upon porosity & contamination of substrate

CORO - EPOXY 100

CORO High Gloss Three Component Epoxy Grout

Filling tile joints of high traffic areas such as hospitals, factory floors & kitchen.

A resin based epoxy tile joint filler which exhibits stain resistant, chemical resistant, hard wearing & impervious properties with a high degree of resistance to abrasion and impact.

Features

- Stainless and easy to clean
- Easy to mix and apply
- Provides excellent chemical resistant property
- Provides hygienic, hard wearing & impervious properties
- Non-cracking or powdering
- Non-toxic & restricts entry of bacteria/ dirt
- Can be cleaned after application with a damp sponge

Packaging Units		Colour	Coverage
1 KG	5 KG	16 Shades	Depend on Size and Width of Joint



CORO - EPOXY 200 (GLITTER)

CORO High Gloss Three Component Epoxy Grout

Filling tile joints of high traffic areas such as floors & kitchen, Showrooms, Office.

A resin based epoxy tile joint filler which exhibits stain resistant, chemical resistant, hard wearing & impervious properties with a high degree of resistance to abrasion and impact.

Features

- Stainless and easy to clean
- Easy to mix and apply
- Provides excellent chemical resistant property
- Provides hygienic, hard wearing & impervious properties
- Non-cracking or powdering
- Non-toxic & restricts entry of bacteria/ dirt
- Can be cleaned after application with a damp sponge

Packaging Units		Colour	Coverage
1 kg	5 Kg	16 Shades	Depend on Size and Width of Joint



CORO - SUPER LATEX SBR

CORO SBR is Modified Styrene Butadiene Rubber Emulsion Specially Designed for use as a Bonding Agent.

Features

- Multipurpose liquid, easy to use
- Bonds strongly to concrete, masonry, cementitious surfaces
- Prevents cracking by improving flexural strength
- Useful as waterproof coat | Useful as a bonding agent between old and new concrete surfaces
- Excellent impermeability & durability in cement mortar



Packaging Units			Colour	Coverage
1 Ltr	5 Ltr	20 Ltr	White	CORO SBR: water : cement in the ratio 1:1:3 by volume mix

CORO - CORCOAT

CORO - CORCOAT Single Component Water-Based Acrylic Waterproofing Coating for Interior & Exterior

Features

- UV Stable hence can be used for external application
- Single component and easily brush applied
- Cures to give a permanently flexible and resilient surface resistant to a wide range of temperatures
- Mechanical damages to the membrane can easily be repaired by spot application
- Seamless application



Packaging Units			Colour	Coverage
10 Kg.	20 Kg.	50 Kg.	White	1 kg will cover 2 Sqm @ 200 microns DFT

CORO - ADMIX GROUT-ADD

CORO - ADMIX Used For Making all The Cementos Grout flexible, Used with all Type of Cementos Grout

Features

- Polymer liquid additive for cement polymer Grouts, & Wide Joint Grouts
- Improves the flexibility for cement Polymer Grouts, & wide Joint Grouts
- Improves the Strength
- Increase the abrasion resistance Grouts



Packaging Units			Coverage
250 ML	400 ML	1 Ltr.	Consumption Depend on Joint Width, Size of Tiles and Good workmanship.

CORO - TILE SPACER TILE LEVELING SPACER CLIPS

CORO Tiles Leveling and Equalizing Surface

Features

- Use Wall Pillar For Wall Tile, Ceramic Tile, stone Floor And Wall Construction When laying Leveling And Left Seam Tools.
- Compatible with all type of tiles



CORO Spacer for Wall & Floor Tiling Application

Features

- Best quality raw material used for longer durability and strength.
- Reusable spacers may be used over and over again.



CORO - NOTCHED TROWEL

CORO Notched Trowel Made with Sainless Steel for Long and durable use

Features

- Stainless steel material
- Perfect tool for tile and stone adhesive application
- Long lasting and durable
- Available in perfect sizes
- Used for spreading adhesive or mortar during Installation of tiles, marble, granite, bricks, AAC blocks, etc.





Tiles Solutions | Waterproofing Coating | Exterior Coating
Building Repairs | Industrial Flooring | Modified Mortar

CORO BOND CORPORATION

Registered Office:

Real Plaza, Near Omkar CNG Pump, At-Lalpar,
National Highway, Morbi (Gujarat) INDIA.

Ph. No.: +91 99793 88793